

Custom Lighting LED Tape Lights & Aluminium Profiles

YOU DESERVE
ARANI[™]
GREAT SERVICE



2555 Leger Street, LaSalle, QC H8N 2V9, Canada
#4-801 30th Street NE, Calgary, AB T2A 5L7, Canada
Toll Free: (888) 992-7264 | arani.ca

April 2026

Custom LED Lighting Built for You

Proudly Canadian

Our custom lighting is assembled right here in Canada, using Canadian-made aluminum. Quality you can feel good about.

Save Time

We custom cut and assemble lighting to exact specs, saving time and avoiding on-site adjustments.

Fast Delivery

Get fully built, ready-to-install lighting in 1 week to keep your projects on schedule.

Precision Built

Each order is measured, assembled, and tested in-house for a flawless fit and finish.

Clean Look. Smart Choice.

Customers love the sleek look, energy savings and custom fit.



[Learn More](#)

Our LED Tape Lights

Available by the roll or custom cut to your exact dimensions, our LED tape light lineup covers every application from simple residential installs to fully built-out custom lighting projects.



COB LED Tape Lights

A high-density chip-on-board tape light that produces smooth, dotless linear illumination with a CRI of 90+, making it an ideal choice for applications where light quality and uniformity matter most.

Colour Options
 2700K | 3000K | 4000K

IP20

Ordering Code	Input Voltage	Lumen/ft	Colour Temperature	Rated Power	Power/ft	Min. Cut Distance	Width	Maximum Length
TLC-3W-24V-27K-I	24Vdc	240lm	2700K	48W/16ft	3W/ft	2"	8mm	32ft
TLC-3W-24V-30K-I	24Vdc	300lm	3000K					
TLC-3W-24V-40K-I	24Vdc	270lm	4000K					



Dry Location LED Tape Lights

A versatile indoor tape light available in two LED series, offering a range of power and lumen outputs to suit everything from subtle accent lighting to brighter task and general illumination applications.

Colour Options
 3000K | 4000K

IP20

Ordering Code	Input Voltage	Lumen/ft	Colour Temperature	Rated Power	Power/ft	Min. Cut Distance	Width	Series	Maximum Length
TLS-1PT5W-12V-30K-I	12Vdc	105lm	3000K	24W/16ft	1.5W/ft	2"	8mm	3528	16ft
TLS-4PT5W-24V-30K-I	24Vdc	300lm	3000K	72W/16ft	4.5W/ft	4"	12mm	5050	32ft
TLS-4PT5W-24V-40K-I	24Vdc	300lm	4000K	72W/16ft	4.5W/ft	4"	12mm	5050	32ft



Weatherproof LED Tape Lights

Built for wet and outdoor environments, this tape light line offers the same flexibility and performance as its indoor counterpart with the added protection needed for exposed installations.

Colour Options
 3000K | 4000K | RGBW

IP66

Ordering Code	Input Voltage	Lumen/ft	Colour Temperature	Rated Power	Power/ft	Min. Cut Distance	Width	Series	Maximum Length
TLS-1PT5W-12V-30K-WP	12Vdc	105lm/ft	3000K	24W/16ft	1.5W/ft	2"	8mm	3528	~16ft
TLS-2PT25W-12V-30K-WP	12Vdc	150lm/ft	3000K	36W/16ft	2.25W/ft	4"	12mm	5050	~16ft
TLS-3W-12V-30K-WP	12Vdc	200lm/ft	3000K	48W/16ft	3W/ft	1"	8mm	3528	~16ft
TLS-3W-12V-40K-WP	12Vdc	200lm/ft	4000K	48W/16ft	3W/ft	1"	8mm	3528	~16ft
TLS-4PT5W-24V-30K-WP	24Vdc	300lm/ft	3000K	72W/16ft	4.5W/ft	4"	12mm	5050	~32ft
TLS-4PT5W-24V-40K-WP	24Vdc	300lm/ft	4000K	72W/16ft	4.5W/ft	4"	12mm	5050	~32ft
TLS-4PT5W-24V-RGBW-WP-IN	24Vdc	300lm/ft	RGB-4000K	72W/16ft	4.5W/ft	4"	12mm	5050	~32ft



FlexiTube Uniform Lighting

A silicone-jacketed tape light delivering smooth, uniform illumination free of visible hot spots. Its flexible, UV-resistant construction and peel-off adhesive backing make it suited to both indoor and outdoor applications.

Colour Options
3000K | 4000K | RGB

IP67

Ordering Code	Input Voltage	Lumen/ft	Colour Temperature	Power/ft	Min. Cut Distance	Width	Maximum Length
FT-05W-30K	24Vdc	350lm/ft	3000K	5W/ft	2"	11mm	32ft (10m)
FT-05W-40K	24Vdc	350lm/ft	4000K			11mm	
FT-05W-RGB	24Vdc	160lm/ft	RGB			15mm	

Driverless 120V LED Tape Light

The only tape light in the lineup that connects directly to standard 120V AC power, eliminating the need for a separate driver or transformer. A straightforward solution for installations where simplicity and long runs are the priority.

Colour Options
3000K | 4000K

IP65


Ordering Code	Power/ft	Lumen/ft	Min. Cut Distance	Width	Maximum Length	Colour Temperature
TLS-3W-120V-30K-WP	3W/ft	200lm/ft	9-13/16" (25cm)	12mm	150ft	3000K
TLS-3W-120V-40K-WP	3W/ft	200lm/ft	9-13/16" (25cm)			4000K

Square

A sleek square aluminum profile purpose-built for LED tape light installations, the square profile delivers a clean, contemporary finish suited to surface mount applications.

Its compact form factor makes it equally at home in residential cove lighting, under-cabinet accents, and architectural detail work, bringing a polished, professional look to any space.

Dimensions



Exploded View



Name	Ordering Code	Length
Kits		
Square Kit-Opaline Lens	PR-S-O-V1	8ft
Square Kit-Frosted Lens	PR-S-V1	8ft
Profile		
Square Aluminium Profile	C-PR-S-V1	8ft
Lenses		
Opaline Lens	C-PR-L-S-O-V1	8ft
Frosted Lens	C-PR-L-S-V1	8ft
Mounting Brackets		
Square Installation Bracket	C-PR-BR-S-V1	N/A
Pivot Bracket	C-PR-PB-S-V1	N/A
End Caps		
Square end cap (closed)	C-PR-EC-S-CL-V1	N/A
Square end cap (open)	C-PR-EC-S-O-V1	N/A

Specifications

Snap-On Lens
Aluminium Construction

Recommended Tapes

Dry Tapes (8mm)



Wet Tapes (8mm)



Suitable Tapes

COB Tapes



Dry Tapes (12mm)



Wet Tapes (12mm)



Skip the head-scratching.

We measure, cut, and assemble your runs so you just install.

arani.ca/custom-lighting


Black Square




The black square Profile channel brings the same clean, low-profile form of the standard square Profile to spaces that call for a bolder, darker aesthetic.

Suited to both surface mount and recessed installations, it pairs seamlessly with LED tape lights in residential, commercial, and architectural settings where contrast and visual impact matter.

Dimensions



Exploded View



Name	Ordering Code	Length
Kits		
Square Kit-Black Frosted Lens	PR-S-BK-V1	8ft
Profile		
Black Square Aluminium Profile	C-PR-S-BK-V1	8ft
Lenses		
Black Frosted Lens	C-PR-L-S-BK-V1	8ft
Mounting Brackets		
Square Installation Bracket	C-PR-BR-S-V1	N/A
End Caps		
Square end cap (closed)	C-PR-EC-S-CL-BK-V1	N/A
Square end cap (open)	C-PR-EC-S-O-BK-V1	N/A

Specifications

- Snap-On Lens
- Aluminium Construction

Recommended Tapes

Dry Tapes (8mm)



Wet Tapes (8mm)




Suitable Tapes


COB Tapes



Dry Tapes (12mm)



Wet Tapes (12mm)



Skip the head-scratching.

We measure, cut, and assemble your runs so you just install.


arani.ca/custom-lighting

Slim Square

The slimmest option in the square Profile lineup, this aluminum channel is purpose-built for compact LED tape light installations where a minimal footprint is essential.

Its clean square profile integrates discreetly into tight spaces, making it an ideal choice for custom residential lighting applications where the hardware should disappear into the design.

Dimensions



Exploded View



Specifications

Snap-On Lens
Aluminium Construction

Recommended Tapes

COB Tapes



Dry Tapes (8 and 12mm)



Name	Ordering Code	Length
Kits		
Slim Square Kit - Opaline Lens	PR-SS-O-V1	8ft
Slim Square Kit - Frosted Lens	PR-SS-V1	8ft
Profile		
Slim Square Aluminium Profile	C-PR-SS-V1	8ft
Lenses		
Opaline Lens	C-PR-L-S-O-V1	8ft
Frosted Lens	C-PR-L-S-V1	8ft
Mounting Brackets		
Slim Square Installation Bracket	C-PR-BR-SS-V1	N/A
End Caps		
Slim Square end cap (closed)	C-PR-EC-SS-CL-V1	N/A
Slim Square end cap (open)	C-PR-EC-SS-O-V1	N/A

Skip the head-scratching.


We measure, cut, and assemble your runs so you just install.

arani.ca/custom-lighting


Wide Square

A wider take on the classic square Profile profile, this aluminum channel offers enhanced support for LED tape light installations where a broader, more substantial housing is desired. Its clean square form translates well across residential, commercial, and architectural applications, adding a refined, modern presence to any lighting project.

Dimensions



Exploded View




Name	Ordering Code	Length
Kits		
Wide Square Kit - Opaline Lens	PR-WS-O-V1	8ft
Wide Square Kit - Frosted Lens	PR-WS-V1	8ft
Profile		
Wide Square Aluminium Profile	C-PR-WS-V1	8ft
Lenses		
Opaline Lens	C-PR-L-WS-O-V1	8ft
Frosted Lens	C-PR-L-WS-V1	8ft
Mounting Brackets		
Wide Square Installation Bracket	C-PR-BR-WS-V1	N/A
End Caps		
Wide end caps (Closed)	C-PR-EC-WS-CL-V1	N/A
Wide end caps (Open)	C-PR-EC-WS-O-V1	N/A

Specifications

Snap-On Lens
Aluminium Construction


Recommended Tapes

RGBW Tape




Suitable Tapes

COB Tapes



Dry Tapes (8 and 12mm)



Wet Tapes (8mm and 12mm)



Skip the head-scratching.

We measure, cut, and assemble your runs so you just install.

arani.ca/custom-lighting



Recessed

Skip the head-scratching.

We measure, cut, and assemble your runs so you just install.
arani.ca/custom-lighting

An aluminum Profile channel engineered for fully recessed LED tape light installations, where the goal is a flush, built-in appearance with no visible hardware.

Its compact profile sits cleanly within a surface to create a seamless linear light effect, ideal for residential cove, millwork, and architectural detail applications where the fixture disappears entirely into the design.



Specifications


- Snap-On Lens
- Robust Aluminium Body
- Easy installation with springs

Recommended Tapes

Dry Tapes (8mm)



Wet Tapes (8mm)




Suitable Tapes

COB Tapes



Dry Tapes (12mm)



Wet Tapes (12mm)




Name	Ordering Code	Length
Kits		
Recessed Kit-Opaline Lens	PR-RC-O-V1	8ft
Recessed Kit-Frosted Lens	PR-RC-V1	8ft
Profile		
Recessed Aluminium Profile	C-PR-RC-V1	8ft
Lenses		
Opaline Lens	C-PR-L-S-O-V1	8ft
Frosted Lens	C-PR-L-S-V1	8ft
Mounting Brackets		
Spring For Recessed Profile	C-PR-BR-RC-V1	N/A
End Caps		
End Caps For Recessed Profile (Closed)	C-PR-EC-RC-CL-V1	N/A
End Caps For Recessed Profile (Open)	C-PR-EC-RC-O-V1	N/A

LunoLite Recessed


A complete, ready-to-install recessed Profile kit built for LED tape light applications where a flush, fully integrated look is the goal.

Designed to sit flush within a surface, it delivers a clean, seamless lighting effect that disappears into the architecture, making it an ideal choice for high-end residential and architectural installations.

Dimensions



Exploded View



Name	Ordering Code	Length
Kits		
LunoLite kit	LU-S-15	94.5 in
Mounting Brackets		
Spring for LunoLite Profiles	LU-S-15-SP	N/A

Specifications

- Fully Recesses into Drywall
- Easy Snap-In Installation with Springs
- Snap-On Opaline Lens
- Robust Aluminium Body

Recommended Tapes

Wet Location (3W-8mm)



COB Tapes



Skip the head-scratching.

We measure, cut, and assemble your runs so you just install.



arani.ca/custom-lighting

V-Shape



A surface-mount aluminum Profile channel with a distinctive V-shaped profile, designed to direct LED tape light output at an angle for soft, indirect illumination.

Its geometry makes it particularly well suited to accent lighting, cove applications, and any residential setting where a subtle, diffused glow is the goal.




Name	Ordering Code	Length
Kits		
V Shape Kit-Opaline Lens	PR-V-O-V1	8ft
V Shape Kit-Frosted Lens	PR-V-V1	8ft
Profile		
V Shape Aluminium Profile	C-PR-V-V1	8ft
Lenses		
Opaline Lens	C-PR-L-V-O-V1	8ft
Frosted Lens	C-PR-L-V-V1	8ft
Mounting Brackets		
V Shape Installation Bracket	C-PR-BR-V-V1	N/A
End Caps		
V Shape End caps (Closed)	C-PR-EC-V-CL-V1	N/A
V Shape End caps (Open)	C-PR-EC-V-O-V1	N/A

Specifications

Snap-On Lens
Aluminium Construction

Recommended Tapes

Dry Tapes (8 and 12mm)



Wet Tapes (8 and 12mm)



Suitable Tapes

COB Tapes



Skip the head-scratching.


We measure, cut, and assemble your runs so you just install.

arani.ca/custom-lighting

Connectors



The connectors you need to finish the job, whether you're using COB, 3528, 5050, RGBW, or driverless tape lights. Solderless designs with straight, 90-degree, and flexible options.

COB




Ordering Code	Name
STR-C-COB-SW-2W	Strip-to-Wire
STR-C-COB-SS-L-STR	90-Degree
STR-C-COB-SS-STR	Strip-to-Strip Straight
STR-C-COB-SS-FLX	Strip-to-Strip Flexible

3528




Ordering Code	Name
STR-C-COB-SW-2W	Strip-to-Wire
STR-C-COB-SS-L-STR	90-Degree
STR-C-COB-SS-STR	Strip-to-Strip Straight
STR-C-COB-SS-FLX	Strip-to-Strip Flexible

5050



Ordering Code	Name
STR-C-5050-SW-2W	Strip-to-Wire
STR-C-5050-SS-STR	Strip-to-Strip Straight
STR-C-5050-SS-FLX	Strip-to-Strip Flexible
STR-C-5050-SS-L-FLX	90-Degree

RGBW



Ordering Code	Name
STR-C-RGBW-SW-2W	Strip-to-Wire
STR-C-RGBW-SS-STR	Strip-to-Strip Straight
STR-C-RGBW-SS-FLX	Strip-to-Strip Flexible
STR-C-RGBW-SS-L-FLX	90-Degree Flexible

Connectors for 120V Tapes



Power Cord, Straight Connector & End Cap

Ordering Code
ST-C-120V-PC5-V2

Barrel Connector




Male & Female Barrel Connectors

Ordering Code
ST-C-MF-2

Kits

Tape light rolls include everything for a single run. Kits add the extra connectors and accessories needed to split one roll across multiple runs, no sourcing required.


Kit for COB Tapes



Ordering Code
ST-C-COB8-KIT

Contents:
2 x Strip-to-wire
10x Mounting Brackets


Kit for 8mm (3528) Tapes



Ordering Code
ST-C-3528-KIT

Contents:
2 x Strip-to-wire
4 x End Caps
10x Mounting Brackets

Kit for 12mm (5050) Tapes



Ordering Code
ST-C-5050-KIT

Contents:
2 x Strip-to-wire
4 x End Caps
10x Mounting Brackets

Accessories

Brackets



AC-ST-IB
Compatible with 8 mm and 12 mm tapes.



ST-C-120V-BR-V2
Compatible with 120V tapes.

End Caps



ST-EC-C
Compatible with 8 mm and 12 mm tapes.




ST-C-120V-EC-V2
Compatible with 120V tapes.

Flexitube Bracket



FT-BR
Compatible 3000K and 4000K Flexitubes.



FT-BR-RGB
Compatible RGB Flexitubes.

Flexitube End Caps



FT-EC-PR
Compatible 3000K and 4000K Flexitubes.



FT-EC-PR-RBG
Compatible RGB Flexitubes.

Pivot Bracket



C-PR-PB-S-V1
Pivot bracket for square profiles.



arani.ca

2555 Leger Street, LaSalle, QC H8N 2V9, Canada
#4-801 30th Street NE, Calgary, AB T2A 5L7, Canada
Toll Free: (888) 992-7264 | arani.ca