

Square Metal Boxes and Extensions



ED-SJB-52151-K
ED-SJB-52171-K
ED-SJB-72171-K
ED-SSB-52151-KSSX
ED-SSB-52171-KSSX

ED-SSB-52171-KSSX-1
ED-SSB-72171-KSSX
ED-EXS-53171-K
ED-EXS-73171-K
ED-SEX-53151-K

Date:	Project:
Prepared for:	Type:
Comments:	



ED-SJB-52151-K



ED-SJB-52171-K



ED-SJB-72171-K



ED-SSB-52151-KSSX



ED-SSB-52171-KSSX



ED-SSB-52171-KSSX-1



ED-SSB-72171-KSSX



ED-EXS-53171-K




ED-EXS-73171-K



ED-SEX-53151-K

Common Specifications

Industry Standard Sizes
Robust Galvanized Steel
Construction
(Sheet thickness: 1.2mm)



Ordering Code	Size	Depth	Volume	Clamp Type
ED-SJB-52151-K	4"	1 1/2"	21 cu.in	Conduit Knockout
ED-SJB-52171-K	4"	2 1/8"	30 cu.in	Conduit Knockout
ED-SJB-72171-K	4-11/16"	2 1/8"	42 cu.in	Conduit Knockout
ED-SSB-52151-KSSX	4"	1 1/2"	21 cu.in	Conduit Knockout
ED-SSB-52171-KSSX	4"	2 1/8"	30 cu.in	Conduit Knockout
ED-SSB-52171-KSSX-1	4"	2 1/8"	30 cu.in	Conduit Knockout
ED-SSB-72171-KSSX	4-11/16"	2 1/8"	42 cu.in	Conduit Knockout
ED-EXS-53171-K	4"	2 1/8"	30 cu.in	Conduit Knockout
ED-EXS-73171-K	4-11/16"	2 1/8"	42 cu.in	Conduit Knockout
ED-SEX-53151-K	4"	1 1/2"	21 cu.in	Conduit Knockout




Octagonal Metal Boxes and Extensions



ED-OJB-54151-K
ED-OJB-54151-L
ED-OJB-54151-LA
ED-OJB-54151-LB
ED-OJB-54151-LD
ED-OJB-54171-K
ED-OJB-54171-L


ED-OJB-54171-LB
ED-OJB-56111
ED-SSB-54151-KSSX
ED-SSB-54151-LSSAX
ED-OJB-54171-LSSAX
ED-OEX-55151-K

Date:	Project:
Prepared for:	Type:
Comments:	



Common Specifications

Industry Standard Sizes
Robust Galvanized Steel
Construction
(Sheet Thickness: 1.2 mm)



Ordering Code	Size	Depth	Volume	Clamp Type
ED-OJB-54151-K	4"	1 1/2"	15 cu.in	Conduit Knockout
ED-OJB-54151-L	4"	1 1/2"	15 cu.in	Non Metallic Sheathed Clamp (NMD90)
ED-OJB-54151-LA	4"	1 1/2"	15 cu.in	Armoured cable clamps (AC90)
ED-OJB-54151-LB	4"	1 1/2"	15 cu.in	Non Metallic Sheathed Clamp (NMD90)
ED-OJB-54151-LD	4"	1 1/2"	15 cu.in	Non Metallic Sheathed Clamp (NMD90)
ED-OJB-54171-K	4"	2 1/8"	21 cu.in	Conduit Knockout
ED-OJB-54171-L	4"	2 1/8"	21 cu.in	Non Metallic Sheathed Clamp (NMD90)
ED-OJB-54171-LB	4"	2 1/8"	21 cu.in	Non Metallic Sheathed Clamp (NMD90)
ED-OJB-56111	4"	1/2"	5 cu.in	Conduit Knockout
ED-SSB-54151-KSSX	4"	1 1/2"	15 cu.in	Conduit Knockout
ED-SSB-54151-LSSAX	4"	1 1/2"	15 cu.in	Armoured cable clamps (AC90)
ED-OJB-54171-LSSAX	4"	2-1/8"	21 cu.in	Armoured cable clamps (AC90)
ED-OEX-55151-K	4"	1 1/2"	15 cu.in	Conduit Knockout




Gangable Metal Utility and Device Boxes



ED-GGB-1004-L
ED-GGB-1004-LH
ED-GGB-1100-L
ED-GGB-1102-L
ED-GGB-1104-K
ED-GGB-1104-L
ED-GGB-1104-LA


ED-GGB-1104-LH
ED-GGB-1104-LHA
ED-GGB-1304-LH
ED-GGB-3104-LH
ED-GGB-3104-LHA
ED-HVB-1204-LSSAXHV

Date:	Project:
Prepared for:	Type:
Comments:	



Common Specifications

Industry Standard Sizes
Robust Galvanized Steel
Construction
(Sheet thickness: 1.2mm)



Ordering Code	Size	Depth	Volume	Clamp Type	Ears
ED-GGB-1004-L	3" x 2"	3"	15 cu.in	Non Metallic Sheathed Clamp (NMD90)	Flush
ED-GGB-1004-LH	3" x 2"	3"	15 cu.in	Non Metallic Sheathed Clamp (NMD90)	No Ears
ED-GGB-1100-L	3" x 2"	1-1/2"	8 cu.in	Non Metallic Sheathed Clamp (NMD90)	Flush
ED-GGB-1102-L	3" x 2"	2"	10 cu.in	Non Metallic Sheathed Clamp (NMD90)	Flush
ED-GGB-1104-K	3" x 2"	2 1/2"	12.5 cu.in	Conduit Knockout	Recessed
ED-GGB-1104-L	3" x 2"	2 1/2"	12.5 cu.in	Non Metallic Sheathed Clamp (NMD90)	Flush
ED-GGB-1104-LA	3" x 2"	2 1/2"	12.5 cu.in	Armoured cable clamps (AC90)	Flush
ED-GGB-1104-LH	3" x 2"	2 1/2"	12.5 cu.in	Non Metallic Sheathed Clamp (NMD90)	No Ears
ED-GGB-1104-LHA	3" x 2"	2 1/2"	12.5 cu.in	Armoured cable clamps (AC90)	No Ears
ED-GGB-1304-LH	3" x 2"	2 1/2"	14.5 cu.in	Non Metallic Sheathed Clamp (NMD90)	No Ears
ED-GGB-3104-LH	3" x 2"	2 1/2"	16 cu.in	Non Metallic Sheathed Clamp (NMD90)	No Ears
ED-GGB-3104-LHA	3" x 2"	2 1/2"	16 cu.in	Armoured cable clamps (AC90)	No Ears
ED-HVB-1204-LSSAXHV	3" x 2 1/4"	2 1/2"	16 cu.in	Armoured cable clamps (AC90)	No Ears



Non-Gangable Metal Utility and Device Boxes



ED-NGB-2104-LLE
ED-NGB-2104-LLE2
ED-NGB-2104-LLE3
ED-NGB-2104-LLE4
ED-NGB-777-LRB
ED-NGU-1110

ED-NGU-2020
ED-NGB-2304-LH
ED-NGB-2304-LH2
ED-NGB-2304-LH3
ED-NGB-2304-LH4

Date:	Project:
Prepared for:	Type:
Comments:	



ED-NGB-2104-LLE



ED-NGB-2104-LLE2



ED-NGB-2104-LLE3



ED-NGB-2104-LLE4



ED-NGB-777-LRB



ED-NGU-1110



ED-NGU-2020



ED-NGB-2304-LH



ED-NGB-2304-LH2



ED-NGB-2304-LH3



ED-NGB-2304-LH4

Common Specifications

Industry Standard Sizes
Robust Galvanized Steel Construction
(Sheet thickness: 1.2mm)



Ordering Code	Size	Depth	Volume	Clamp Type	Number of gangs
ED-NGB-2104-LLE	3" x 2"	2 1/2"	12.5 cu.in	Non Metallic Sheathed Clamp (NMD90)	1 Gang
ED-NGB-2104-LLE2	3" x 3 3/4"	2 1/2"	25 cu.in	Non Metallic Sheathed Clamp (NMD90)	2 Gang
ED-NGB-2104-LLE3	3" x 5 1/2"	2 1/2"	37.5 cu.in	Non Metallic Sheathed Clamp (NMD90)	3 Gang
ED-NGB-2104-LLE4	3" x 7 3/8"	2 1/2"	50 cu.in	Non Metallic Sheathed Clamp (NMD90)	4 Gang
ED-NGB-777-LRB	3" x 2"	2-1/4"	11 cu.in	Non Metallic Sheathed Clamp (NMD90)	1 Gang
ED-NGU-1110	4" x 2 3/8"	1 7/8"	16.5 cu.in	Conduit Knockout	1 Gang
ED-NGU-2020	4" x 2 1/8"	1 7/8"	14 cu.in	Conduit Knockout	1 Gang
ED-NGB-2304-LH	3" x 2"	2 1/2"	14.5 cu.in	Non Metallic Sheathed Clamp (NMD90)	1 Gang
ED-NGB-2304-LH-2	3" x 3 3/4"	2 1/2"	27 cu.in	Non Metallic Sheathed Clamp (NMD90)	2 Gang
ED-NGB-2304-LH-3	3" x 5 1/2"	2 1/2"	39.5 cu.in	Non Metallic Sheathed Clamp (NMD90)	3 Gang
ED-NGB-2304-LH-4	3" x 7 3/8"	2 1/2"	52 cu.in	Non Metallic Sheathed Clamp (NMD90)	4 Gang



Metal Utility and Device Boxes, and Extensions




ED-SSB-2104-LSSAX
ED-SSB-2104-LSSAX2
ED-SSB-2104-LSSAX3
ED-SSB-2104-LSSAX4
ED-SSB-3104-KSSX

ED-SSB-3104-LSSAX
ED-SSB-3104-LSSAX-1
ED-NGB-SBEX
ED-UEX-1110-R
ED-UEX-2020-R


Date:	Project:
Prepared for:	Type:
Comments:	



ED-SSB-2104-LSSAX




ED-SSB-2104-LSSAX2




ED-SSB-2104-LSSAX3




ED-SSB-2104-LSSAX4



ED-SSB-3104-KSSX



ED-SSB-3104-LSSAX



ED-SSB-3104-LSSAX-1



ED-NGB-SBEX




ED-UEX-1110-R



ED-UEX-2020-R

Common Specifications

Industry Standard Sizes
Robust Galvanized Steel
Construction
(Sheet thickness: 1.2mm)



Ordering Code	Size	Depth	Volume	Clamp Type	Number of gangs
ED-SSB-2104-LSSAX	3" x 2"	2 1/2"	12.5 cu.in	Armoured cable clamps (AC90)	1 Gang
ED-SSB-2104-LSSAX2	3" x 3 3/4"	2 1/2"	25 cu.in	Armoured cable clamps (AC90)	2 Gang
ED-SSB-2104-LSSAX3	3" x 5 1/2"	2 1/2"	37.5 cu.in	Armoured cable clamps (AC90)	3 Gang
ED-SSB-2104-LSSAX4	3" x 7 3/8"	2 1/2"	50 cu.in	Armoured cable clamps (AC90)	4 Gang
ED-SSB-3104-KSSX	3" x 2"	2 1/2"	16 cu.in	Conduit Knockout	1 Gang
ED-SSB-3104-LSSAX	3" x 2"	2 1/2"	16 cu.in	Armoured cable clamps (AC90)	1 Gang
ED-SSB-3104-LSSAX-1	3" x 2"	2 1/2"	16 cu.in	Armoured cable clamps (AC90)	1 Gang
ED-NGB-SBEX	3" x 2"	7/8"	-	Not Applicable	1 Gang
ED-UEX-1110-R	4" x 2 3/8"	1 7/8"	16.5 cu.in	Conduit Knockout	1 Gang
ED-UEX-2020-R	4" x 2 1/8"	1 7/8"	14 cu.in	Conduit Knockout	1 Gang





Covers



ED-SBC-52C1
ED-SBC-52C13
ED-SBC-52C15
ED-SBC-52C17
ED-SBC-52C6


ED-SBC-72C1
ED-SBC-72C13
ED-SBC-8371
ED-RBC-54C1
ED-RBC-54C6

Date:	Project:
Prepared for:	Type:
Comments:	



Common Specifications

Industry Standard Sizes
Robust Galvanized Steel
Construction
(Sheet thickness: 1.2mm)



Ordering Code	Size	Raised	Volume
Square Covers			
ED-SBC-52C1	4"	-	Flat
ED-SBC-52C13	4"	1/2"	3.60 cu.in
ED-SBC-52C15	4"	7/8"	6.80 cu.in
ED-SBC-52C17	4"	1/2"	6.20 cu.in
ED-SBC-52C6	4"	1/2"	Flat
ED-SBC-72C1	4 11/16"	-	Flat
ED-SBC-72C13	4 11/16"	3/4" and 1/2"	4.30 cu.in
ED-SBC-8371	4"	3/8"	Flat
Round Covers			
ED-RBC-54C1	4"	-	Flat
ED-RBC-54C6	4"	-	Flat



Weatherproof Boxes



ED-WPSB-GR-A050
ED-WPOB-GR-A050

Date:	Project:
Prepared for:	Type:
Comments:	



Ordering Code	Type	Knockouts	Volume	Included
ED-WPSB-GR-A050	Square	3 of 1/2"	18.3 cu.in.	2 End Caps
ED-WPOB-GR-A050	Octagonal	5 of 1/2"	16 cu.in.	Cover + 4 End Caps



Utility Box Covers

ED-UBC-11C1
ED-UBC-11C10

ED-UBC-11C4
ED-UBC-11C5

ED-UBC-20C1
ED-UBC-20C4

ED-UBC-20C5



Common Specifications
Standard device Box Cover Size
Robust Galvanized Steel Construction
(Sheet thickness: 1.2mm)



Accessories

ED-CWB-66 ED-CWB-66XL ED-CWB-820D



Ordering Code	Size	Mounting Stud Type
ED-CWB-66	1 3/8" x 3"	Wood Stud
ED-CWB-66XL	4 1/4" x 3 3/4"	Wood Stud
ED-CWB-820D	Standard Size	Drywall



Arani All rights reserved. Arani reserves the right to change the design, materials and finish.
2555 LEGER STREET, LASALLE, QC H8N 2V9, CANADA
#4-801 30ST NE, CALGARY, AB T2A 5L7, CANADA