

YOU DESERVE




HIGH LUMEN GIMBALS

PRODUCT OVERVIEW

Introducing our High Lumen Gimbals, now available in black, a versatile lighting solution that combines sleek design with high performances. This Gimbal is crafted in a white, or black finish, adding a touch of elegance to any space. With its 5CCT selectable and rotation angle of 360°, you have the flexibility to choose between five different correlated color temperatures (CCT) and angles to create the perfect ambiance.


ARANI High Lumen Gimbals Specifications

Electrical Characteristics	<ul style="list-style-type: none">• Input current: 340mA• Input Voltage: 110-130Vac 60Hz• Rated Power: 15W• Power factor: >0.94
IP Rating	<ul style="list-style-type: none">• Suitable for wet locations
IC Rating	<ul style="list-style-type: none">• Type IC
LED Chip & LED Quantity	<ul style="list-style-type: none">• COB
Colour Temperature	<ul style="list-style-type: none">• Selectable between 2700K/3000K/3500K/4000K and 5000K
Beam Angle	<ul style="list-style-type: none">• 40°
Tilt Angle	<ul style="list-style-type: none">• 15°
Rotation angle	<ul style="list-style-type: none">• 360°
Colour Rendering Index	<ul style="list-style-type: none">• 80+
Lumen output	<ul style="list-style-type: none">• 1200Lm at 3500K
Operating Temperatures	<ul style="list-style-type: none">• -20°C to 40°C
Dimmable	<ul style="list-style-type: none">• Triac Base
Colours Available	<ul style="list-style-type: none">• White• Black
Codes & Standards	<ul style="list-style-type: none">• ETL 
Lifetime	<ul style="list-style-type: none">• 50 000 hours
Cable rating	<ul style="list-style-type: none">• FT6



Date:	Project:
Prepared for:	Type:
Comments:	

COLOURS AVAILABLE





SL4G-HL-VAR-R-BK-V3






SL4G-HL-VAR-R-WH-V3

PRODUCT DIMENSIONS



ORDERING INFORMATION

Series	Rated Power	Equivalent to	Lumen Output	Colour Temp.	Finish	Ordering Code
High Lumen Gimbal	15W	100W	1000Lm	Selectable 2700K 3000K 3500K 4000K 5000K	White	SL4G-HL-VAR-R-WH-V3 
			1040Lm			
			1200Lm			
			1258Lm		Black	SL4G-HL-VAR-R-BK-V3 
			1186Lm			
			1186Lm			

 *This icon indicates a STOCK item: Look for this Same Day Shipping icon below in 'Ordering Information' for products that ship on the same day (orders placed before 3pm) from Montreal, Quebec / Calgary, Alberta



Date:	Project:
Prepared for:	Type:
Comments:	

APPROVED DIMMERS

List of approved dimmers for our Slim Panels

The dimmers below have been tested and found to function properly with the specified product. Absence of a dimmer model on this list does not indicate incompatibility with the product, it means that they have not been tested:

Dimmer	Flicker	Dimmer	Flicker
Arani DM1-150W-SL-3-WH-V2	No	Lutron SCL-153PH-WH-C	No
Leviton 6618	No	Lutron CTCL-153PDH-WH-C	No
Leviton RPI06	No	Lutron S-603PG	No
Leviton 6631	No	Lutron S-600	No
Leviton 6681-W	No	Lutron SLV-600P	No
Leviton IPL-06	No	Lutron D-600W	No
Leviton 6633	No	Lutron DV-600PH	No
Leviton 6674	No	Cooper RI306P-VW-K2	No
Leviton 6621	No	Cooper SI10P	No
		Cooper SI061-W-K	No

